

HALL LED PROFLEX




ID CODE: 38

HALL LED PROFLEX, available in two diameters, is an adjustable asymmetric version of the HALL LED fixture, for specifiers who not only need to **light large spaces**, but need to **highlight specific areas, objects or architectural elements**. The **innovative rotofriction mechanism** offers guaranteed security, precision and simplicity of aim. HALL LED PROFLEX has a tilt range of 60° (-15° + 45°) and a rotation of 355°.








Design
esse-ci

FEATURES

-  Direct Emission
-  UGR < 19
-  IP 44





LED

-  3000K/4000K
- >102 lm/W; >112 lm/W icon" data-bbox="155 558 170 573"/> >102 lm/W; >112 lm/W
-  CRI > 90
-  Eye safety: RG0/RG1
-  Mac Adams 3
-  L80/B10 >50.000h

CERTIFICATIONS

-  CE
-  A+
-  5 years warranty

ON REQUEST

-  DALI - RDD code (verify the version)
-  Bluetooth - BT code (verify the version)
-  Emergency kit 1/3 hour EM/EM 3h code
-  2700K - 5000K

Specifications · Driver included
· LED CoB technology

Optic Internal aluminum reflectors from 10° - 20° - 40° - 70° beam angles.

Body Aluminium body with epoxy powder coating.


Colour ○ White RAL 9003 matt - Code: B




HALL LED PROFLEX SMALL

OPTIC

Internal aluminum reflectors with transparent glass:
 10° - 20° - 40° - 70° beam angles.
 CUT OFF > 30°.



IP 44 A+



COLOUR TEMPERATURE

4000K

3000K


COD	💡	lm
38AS13L49010S	13W 10°	1451
38AS13L49020S	13W 20°	1451
38AS13L49040S	13W 40°	1451
38AS13L49070S	13W 70°	1451
38AS18L49010S	18W 10°	2009
38AS18L49020S	18W 20°	2009
38AS18L49040S	18W 40°	2009
38AS18L49070S	18W 70°	2009

COD	💡	lm
38AS13L39010S	13W 10°	1305
38AS13L39020S	13W 20°	1305
38AS13L39040S	13W 40°	1305
38AS13L39070S	13W 70°	1305
38AS18L39010S	18W 10°	1808
38AS18L39020S	18W 20°	1808
38AS18L39040S	18W 40°	1808
38AS18L39070S	18W 70°	1808


HALL LED PROFLEX

OPTIC

Internal aluminum reflectors with transparent glass:
 10° - 20° - 40° - 70° beam angles.
 CUT OFF > 30°.



IP 44 A+



COLOUR TEMPERATURE

4000K

3000K


COD	💡	lm
38AS25L49010	25W 10°	2660
38AS25L49020	25W 20°	2660
38AS25L49040	25W 40°	2660
38AS25L49070	25W 70°	2660
38AS35L49010	35W 10°	3595
38AS35L49020	35W 20°	3595
38AS35L49040	35W 40°	3595
38AS35L49070	35W 70°	3595
38AS38L49010	38W 10°	4030
38AS38L49020	38W 20°	4030
38AS38L49040	38W 40°	4030
38AS38L49070	38W 70°	4030
38AS54L49010	54W 10°	5023
38AS54L49020	54W 20°	5023
38AS54L49040	54W 40°	5023
38AS54L49070	54W 70°	5023

COD	💡	lm
38AS25L39010	25W 10°	2394
38AS25L39020	25W 20°	2394
38AS25L39040	25W 40°	2394
38AS25L39070	25W 70°	2394
38AS35L39010	35W 10°	3236
38AS35L39020	35W 20°	3236
38AS35L39040	35W 40°	3236
38AS35L39070	35W 70°	3236
38AS38L39010	38W 10°	3627
38AS38L39020	38W 20°	3627
38AS38L39040	38W 40°	3627
38AS38L39070	38W 70°	3627
38AS54L39010	54W 10°	4521
38AS54L39020	54W 20°	4521
38AS54L39040	54W 40°	4521
38AS54L39070	54W 70°	4521


HALL LED PROFLEX FOOD

OPTIC

Internal aluminum reflectors with transparent glass:
10° - 20° - 40° - 70° beam angles. CUT OFF > 30°.



IP 44 A+



COLOUR TEMPERATURE BREAD

COD	Light Icon	lm
38AS38BR10	38W 10° BREAD	2366
38AS38BR20	38W 20° BREAD	2366
38AS38BR40	38W 40° BREAD	2366
38AS38BR70	38W 70° BREAD	2366
38AS54BR10	54W 10° BREAD	3537
38AS54BR20	54W 20° BREAD	3537
38AS54BR40	54W 40° BREAD	3537
38AS54BR70	54W 70° BREAD	3537

COLOUR TEMPERATURE MEAT


COD	Light Icon	lm
38AS38MT10	38W 10° MEAT	1788
38AS38MT20	38W 20° MEAT	1788
38AS38MT40	38W 40° MEAT	1788
38AS38MT70	38W 70° MEAT	1788
38AS54MT10	54W 10° MEAT	2516
38AS54MT20	54W 20° MEAT	2516
38AS54MT40	54W 40° MEAT	2516
38AS54MT70	54W 70° MEAT	2516

COLOUR TEMPERATURE FISH

COD	Light Icon	lm
38AS38FH10	38W 10° FISH	2628
38AS38FH20	38W 20° FISH	2628
38AS38FH40	38W 40° FISH	2628
38AS38FH70	38W 70° FISH	2628
38AS54FH10	54W 10° FISH	3857
38AS54FH20	54W 20° FISH	3857
38AS54FH40	54W 40° FISH	3857
38AS54FH70	54W 70° FISH	3857



FOOD - Specialized led modules



• **BREAD:** the shades of brown appear sharper and brighter; they as strong as gold making the appearance of cheeses and bakery goods better.

• **MEAT / FRESH MEAT:** the red tones are very strong, for a fresh and inviting presentation of red meats and charcuterie.

• **FISH:** the colours are vivid and attractive, the fish is bright and colourful; the cool tones of the light enhance the freshness and brilliance of the fish.

• **CRI > 90 version** with 3000K / 4000K colour temperature fixtures, are used to enhance the natural colour of the products and are suitable to light fruit and wine departments.

Accessories



ARF200

Ring frame adaptor for hole 200mm.

Technical Note

BODY ROTATION

